

## LK7629A Component List

Quantity	Reference	Description
1	HP468	<i>MIAC Getting Started Guide</i>
		<i>Plastic shallow</i>
1	HP2045	<i>tray</i>
1	HP4039	<i>Tray Lid</i>
1	LK4000	<i>Locktronics User Guide</i>
1	MI-0001	<i>Cased MIAC with Shrouded 4mm Connectors</i>
1	MI-0001	<i>Cased MIAC with Shrouded 4mm Connectors</i>
19	LK5603	<i>Lead, red, 500mm, 4mm to 4mm stackable</i>
9	LK5604	<i>Lead, black, 500mm, 4mm to 4mm stackable</i>
		<i>OBD2 to 4mm</i>
1	LK5697	<i>Lead</i>
		<i>Plastic shallow</i>
1	HP2045	<i>tray</i>
1	HP4039	<i>Tray Lid</i>
		<i>Plastic shallow</i>
1	HP2045	<i>tray</i>
1	HP4039	<i>Tray Lid</i>
4	LK6574	<i>Lead, red, 2000mm, 4mm to 4mm plug</i>
24	LK5607	<i>Lead, yellow, 500mm, 4mm to 4mm stackable</i>
24	LK5609	<i>Lead, blue, 500mm, 4mm to 4mm stackable</i>
1	MI-0001	<i>Cased MIAC with Shrouded 4mm Connectors</i>
1	MI-0001	<i>Cased MIAC with Shrouded 4mm Connectors</i>
1	HP4039	<i>Tray Lid</i>
		<i>Plastic shallow</i>
1	HP2045	<i>tray</i>
		<i>Plastic shallow</i>
1	HP2045	<i>tray</i>
1	HP4039	<i>Tray Lid</i>
1	MI-0001	<i>Cased MIAC with Shrouded 4mm Connectors</i>
1	LK7629A-56	<i>CAN bus systems and operation Inlay (ANSI)</i>
2	LK8900	<i>7 x 5 metric baseboard with 4mm pillars</i>
1	LK5280	<i>Relay, 12V coil, 10A, normally open</i>
13	LK5287	<i>Lampholder, MES, for automotive LEDs WHITE</i>
3	LK6207	<i>Switch, push to make, metal strip</i>
1	HP5540	<i>Deep tray</i>
1	HP4039	<i>Tray Lid</i>
1	HP7750	<i>Daughter tray foam cutout</i>
1	HP8600	<i>Crash Foam</i>
1	HP9564	<i>62mm daughter tray</i>
5	LK4786	<i>Automotive fuse carrier</i>
8	LK5202A	<i>Resistor, 1k, 1/2W, 5% (ANSI)</i>

1	LK3246	<i>Buzzer, 12V, 15mA</i>
1	HP7750	<i>Daughter tray foam cutout</i>
1	HP9564	<i>62mm daughter tray</i>
1	HPUAB	<i>USB2 high speed A to mini B lead</i>
1	HP8600	<i>Crash Foam</i>
1	HP5540	<i>Deep tray</i>
1	HP4039	<i>Tray Lid</i>
53	LK5250	<i>Connecting Link Lead, D-type to yellow and blue 4mm for CAN analyser</i>
1	LK5695	<i>7 x 5 metric baseboard with 4mm pillars</i>
2	LK8900	<i>7 x 5 metric baseboard with 4mm pillars</i>
1	LK7629A-56	<i>CAN bus systems and operation Inlay (ANSI)</i>
1	LK7629A-56	<i>CAN bus systems and operation Inlay (ANSI)</i>
1	LK8900	<i>7 x 5 metric baseboard with 4mm pillars</i>
1	LK5254	<i>Zener diode, 8.2V</i>
6	LK6209	<i>Switch, on/off, metal strip</i>
1	LK6219A	<i>Resistor, 560 ohm, 1/4W, 5% (ANSI)</i>
2	LK6635A	<i>LED, Red (ANSI)</i>
1	LK6706	<i>Motor 3 to 12V DC, 0.7A</i>
4	LK6749	<i>MES bulb, 12V, LED, red</i>
4	LK6822	<i>MES bulb, 12V, LED, yellow</i>
5	LK6841	<i>MES bulb, 12V, LED, white</i>
1	HP4039	<i>Tray Lid</i>
1	HP5540	<i>Deep tray</i>
1	HP7750	<i>Daughter tray foam cutout</i>
1	EL239	<i>USB CAN sniffer</i>
4	HP2666	<i>Power supply</i>
1	HP9564	<i>62mm daughter tray</i>
1	HP8600	<i>Crash Foam</i>
4	LK5214A	<i>Potentiometer, 10k (ANSI)</i>

